


Remarks

Upon entry of the instant Preliminary Amendment, claims 1-18 are pending. Claim 6 has been converted from a "use" claim to a more conventional process format. Claim 12 has been amended to provide reference or subject matter for formulae II and III. The amendments are primarily a matter of form. No new matter has been added.

In view of the foregoing amendments, Applicants aver that the instant claims are now in better condition for examination on the merits. Early favorable action is respectfully solicited. If minor amendments will further prosecution, Applicants request that the Examiner contact the undersigned representative.

Respectfully submitted


David R. Crichton
Attorney for Applicants
Reg. No. 37,300

Ciba Specialty Chemicals Corporation
540 White Plains Road
P.O. Box 2005
Tarrytown, New York 10591-9005
Tel: 914-785-7124
Fax: 914-785-7102
DRC/

MAY 31 2001

APPENDIX - MARKED UP CLAIMS

6. (amended) A method ~~The use of compounds of the formula I as starting materials for the~~ preparation of mono- or bisacylphosphines, mono- or bisacylphosphine oxides or mono- or bisacylphosphine sulfides comprising reacting a compound of formula I according to claim 1.

12. (amended) A photocurable composition comprising


(a) at least one ethylenically unsaturated photopolymerizable compound and

(b) at least one compound of the formula II according to claim 2 or at least one compound

according to formula III
$$\text{Ar}-\overset{\text{O}}{\parallel}{\text{C}}-\overset{\text{(A)}_x}{\underset{\text{R}_6}{\text{P}}}-\text{Z}_1 \quad \text{(III)}, \text{ in which}$$

A is O or S;

x is 0 or 1;

Ar is a group ; or Ar is cyclopentyl, cyclohexyl, naphthyl, anthracyl,


biphenyl or an O-, S- or N-containing 5- or 6-membered heterocyclic ring, where the radicals cyclopentyl, cyclohexyl, naphthyl, anthracyl, biphenyl and 5- or 6-membered heterocyclic ring are unsubstituted or substituted by halogen, C₁-C₄alkyl and/or C₁-C₄alkoxy;

R₁ and R₂ independently of one another are C₁-C₂₀alkyl, OR₁₁, CF₃ or halogen;


R₃, R₄ and R₅ independently of one another are hydrogen, C₁-C₂₀alkyl, OR₁₁ or halogen;

or in each case two of the radicals R₁, R₂, R₃, R₄ and R₅ together form C₁-C₂₀alkylene which can be interrupted by O, S or -NR₁₄;

R₆ is C₁-C₂₄alkyl, unsubstituted or substituted by C₂-C₂₄cycloalkenyl, phenyl, CN, C(O)R₁₁, C(O)OR₁₁, C(O)N(R₁₄)₂, OC(O)R₁₁, OC(O)OR₁₁, N(R₁₄)C(O)N(R₁₄), OC(O)NR₁₄, N(R₁₄)C(O)OR₁₁,

cycloalkyl, halogen, OR₁₁, SR₁₁, N(R₁₂)(R₁₃) or 

C₂-C₂₄alkyl which is interrupted once or more than once by nonconsecutive O, S or NR₁₄ and which is unsubstituted or substituted by phenyl, OR₁₁, SR₁₁, N(R₁₂)(R₁₃), CN, C(O)R₁₁, C(O)OR₁₁,



C₂-C₂₄alkenyl which is uninterrupted or interrupted once or more than once by nonconsecutive O, S or NR₁₄ and which is unsubstituted or substituted by OR₁₁, SR₁₁ or N(R₁₂)(R₁₃);

C₅-C₂₄cycloalkenyl which is uninterrupted or interrupted once or more than once by nonconsecutive O, S or NR₁₄ and which is unsubstituted or substituted by OR₁₁, SR₁₁ or N(R₁₂)(R₁₃);

C₇-C₂₄arylalkyl which is unsubstituted or substituted on the aryl group by C₁-C₁₂alkyl,


C₁-C₁₂alkoxy or halogen;

C₄-C₂₄cycloalkyl which is uninterrupted or interrupted once or more than once by O, S and/or NR₁₄ and which is unsubstituted or substituted by OR₁₁, SR₁₁ or N(R₁₂)(R₁₃); or C₈-C₂₄arylcycloalkyl or C₈-C₂₄arylcycloalkenyl;

R₁₁ is H, C₁-C₂₀alkyl, C₂-C₂₀alkenyl, C₃-C₈cycloalkyl, phenyl, benzyl or C₂-C₂₀alkyl which is interrupted once or more than once by nonconsecutive O atoms and which is unsubstituted or substituted by OH and/or SH;

R₁₂ and R₁₃ independently of one another are hydrogen, C₁-C₂₀alkyl, C₃-C₈cycloalkyl, phenyl, benzyl or C₂-C₂₀alkyl, which is interrupted once or more than once by O or S and which is unsubstituted or substituted by OH and/or SH; or R₁₂ and R₁₃ together are C₂-C₃alkylene which is uninterrupted or interrupted by O, S or NR₁₄;

Z₁ is C₁-C₂₄alkyl, which is unsubstituted or substituted once or more than once by OR₁₅, SR₁₅,



and/or $\text{---}\overset{\text{A}_1}{\underset{\text{||}}{\text{C}}}\text{---N(R}_{18})_2\text{---}$ or Z₁ is C₂-C₂₄alkyl which is interrupted once or more than once by O, S

or NR₁₄ and which can be substituted by OR₁₅, SR₁₅, N(R₁₆)(R₁₇), phenyl, halogen, $\text{---}\overset{\text{O}}{\underset{\text{H}}{\text{C}}}\text{---CH}_2\text{---}$








$\text{---}\overset{\text{A}}{\underset{\text{||}}{\text{C}}}\text{---R}_{18}\text{---}$, $\text{---}\overset{\text{A}}{\underset{\text{||}}{\text{C}}}\text{---OR}_{18}\text{---}$ and/or $\text{---}\overset{\text{A}_1}{\underset{\text{||}}{\text{C}}}\text{---N(R}_{18})_2\text{---}$; or Z₁ is C₁-C₂₄alkoxy, which is substituted once

or more than once by phenyl, CN, $-N=C=A$, $-\overset{\text{O}}{\underset{\text{H}}{\text{C}}}-\text{CH}_2-$, $-\overset{\text{A}}{\text{C}}-\text{R}_{18}-$, $-\overset{\text{A}}{\text{C}}-\text{OR}_{18}$ and/or






$-\overset{\text{A}_1}{\text{C}}-\text{N}(\text{R}_{18})_2$; or Z_1 is $-\overset{\text{A}}{\text{C}}-\text{OR}_{11}-$, $-\overset{\text{A}_1}{\text{C}}-\text{N}(\text{R}_{16})(\text{R}_{17})-$, $-\overset{\text{A}}{\text{C}}-\text{OR}_{11a}$ or $-\overset{\text{A}_1}{\text{C}}-\text{N}(\text{R}_{18a})(\text{R}_{18b})$; or


Z_1 is unsubstituted C_3-C_{24} cycloalkyl or C_3-C_{24} cycloalkyl substituted by C_1-C_{20} alkyl, OR_{11} , CF_3 or halogen; unsubstituted C_2-C_{24} alkenyl or C_2-C_{24} alkenyl substituted by C_6-C_{12} aryl, CN, $(\text{CO})\text{OR}_{15}$ or

$(\text{CO})\text{N}(\text{R}_{18})_2$; or Z_1 is C_3-C_{24} cycloalkenyl or is one of the radicals




(n)





(v) or




(w); or Z_1 is C_1 - C_{24} alkylthio, in which the alkyl

radical is uninterrupted or interrupted once or more than once by nonconsecutive O or S, and is unsubstituted or substituted by OR_{15} , SR_{15} and/or halogen; with the proviso that Z_1 and R_6 are not identical;


A_1 is O, S or NR_{18a} ;

Z_2 is C_1 - C_{24} alkylene; C_2 - C_{24} alkylene interrupted once or more than once by O, S or NR_{14} ; C_2 - C_{24} alkenylene; C_2 - C_{24} alkenylene interrupted once or more than once by O, S or NR_{14} ; C_3 - C_{24} cycloalkylene; C_4 - C_{24} cycloalkylene interrupted once or more than once by O, S or NR_{14} ; C_4 - C_{24} cycloalkylene; C_3 - C_{24} cycloalkenylene interrupted once or more than once by O, S or NR_{14} ; where the radicals C_1 - C_{24} alkylene, C_2 - C_{24} alkylene, C_2 - C_{24} alkenylene, C_3 - C_{24} cycloalkylene and C_3 - C_{24} cycloalkenylene are unsubstituted or are substituted by OR_{11} , SR_{11} , $N(R_{12})(R_{13})$ and/or halogen;

or Z_2 is one of the radicals




or




, where these radicals are unsubstituted or are substituted on the

aromatic by C_1 - C_{20} alkyl; C_2 - C_{20} alkyl which is interrupted once or more than once by nonconsecutive O atoms and which is unsubstituted or substituted by OH and/or SH; OR_{11} , SR_{11} , $N(R_{12})(R_{13})$, phenyl, halogen, NO_2 , CN, $(CO)-OR_{11}$, $(CO)-R_{11}$, $(CO)-N(R_{12})(R_{13})$, SO_2R_{24} , OSO_2R_{24} , CF_3 and/or CCl_3 ;

or Z_2 is a group



(r) or



Z₃ is CH₂, CH(OH), CH(CH₃) or C(CH₃)₂;

Z₄ is S, O, CH₂, C=O, NR₁₄ or a direct bond;

Z₅ is S, O, CH₂, CHCH₃, C(CH₃)₂, C(CF₃)₂, SO, SO₂, CO;

Z₆ and Z₇ independently of one another are CH₂, CHCH₃ or C(CH₃)₂;

r is 0, 1 or 2;

s is a number from 1 to 12;

q is a number from 0 to 50;

t and p are each a number from 0 to 20;

E, G, G₃ and G₄ independently of one another are unsubstituted C₁-C₁₂alkyl or C₁-C₁₂alkyl substituted by halogen, or are unsubstituted phenyl or phenyl substituted by one or more C₁-C₄alkyl; or are C₂-C₁₂alkenyl;

R_{11a} is C₁-C₂₀alkyl substituted once or more than once by OR₁₅ or $\text{---}\overset{\text{O}}{\underset{\text{H}}{\text{C}}}\text{---CH}_2$; or is C₂-C₂₀alkyl

which is interrupted once or more than once by nonconsecutive O atoms and is unsubstituted


or substituted once or more than once by OR₁₅, halogen or $\text{---}\overset{\text{O}}{\underset{\text{H}}{\text{C}}}\text{---CH}_2$; or R_{11a} is C₂-C₂₀alkenyl, C₃-

C₁₂alkynyl; or R_{11a} is C₃-C₁₂cycloalkenyl which is substituted once or more than once by halogen,


NO₂, C₁-C₄alkyl, OR₁₁ or C(O)OR₁₈; or C₂-C₁₆arylalkyl or C₃-C₁₆arylcycloalkyl;

R₁₄ is hydrogen, phenyl, C₁-C₁₂alkoxy, C₁-C₁₂alkyl or C₂-C₁₂alkyl which is interrupted once or more than once by O or S and which is unsubstituted or substituted by OH and/or SH;

R₁₅ has one of the meanings given for R₁₁ or is a radical $\text{---}\overset{\text{A}}{\underset{\text{H}}{\text{C}}}\text{---R}_{18}$ or $\text{---}\overset{\text{A}}{\underset{\text{H}}{\text{C}}}\text{---OR}_{18}$ or



R₁₆ and R₁₇ independently of one another have one of the meanings given for R₁₂ or are a radical




R₁₈ is hydrogen, C₁-C₂₄alkyl, C₂-C₁₂alkenyl, C₃-C₈cycloalkyl, phenyl, benzyl; C₂-C₂₀alkyl which is interrupted once or more than once by O or S and which is unsubstituted or substituted by OH;

R_{18a} and R_{18b} independently of one another are hydrogen; C₁-C₂₀alkyl, which is substituted once

or more than once by OR₁₅, halogen, styryl, methylstyryl, -N=C=A or $\text{---}\overset{\overset{\text{O}}{\parallel}}{\text{C}}\text{---CH}_2\text{---}$; or C₂-C₂₀alkyl,

which is interrupted once or more than once by nonconsecutive O atoms and which is

unsubstituted or substituted once or more than once by OR₁₅, halogen, styryl, methylstyryl or




CH₂-N=C=A and is additionally unsubstituted or substituted by one or more C₁-C₄alkyl; or R_{18a}

and R_{18b} are C₆-C₁₂aryl, unsubstituted or substituted once or more than once by halogen, NO₂, C₁-

C₆alkyl, C₂-C₄alkenyl, OR₁₁, -N=C=A, -CH₂-N=C=A or C(O)OR₁₈; or R_{18a} and R_{18b} are C₇-C₁₆arylalkyl;

or R_{18a} and R_{18b} together are C₈-C₁₆arylcycloalkyl; or R_{18a} and R_{18b} independently of one another are



Y₃ is O, S, SO, SO₂, CH₂, C(CH₃)₂, CHCH₃, C(CF₃)₂, (CO), or a direct bond;

R₁₉, R₂₀, R₂₁, R₂₂ and R₂₃ independently of one another are hydrogen, C₁-C₂₀alkyl; C₂-C₂₀alkyl,

which is interrupted once or more than once by nonconsecutive O atoms and which is

unsubstituted or substituted by OH and/or SH; or R₁₉, R₂₀, R₂₁, R₂₂ and R₂₃ are OR₁₁, SR₁₁, N(R₁₂)(R₁₃),

NO₂, CN, SO₂R₂₄, OSO₂R₂₄, CF₃, CCl₃, halogen; or phenyl which is unsubstituted or substituted

once or more than once by C₁-C₄alkyl or C₁-C₄alkoxy;

or in each case two of the radicals R₁₉, R₂₀, R₂₁, R₂₂ and R₂₃ together form C₁-C₂₀alkylene which is

uninterrupted or interrupted by O, S or -NR₁₄;

R₂₄ is C₁-C₁₂alkyl, halogen-substituted C₁-C₁₂alkyl, phenyl, or phenyl substituted by OR₁₁ and/or

SR₁₁;

with the proviso that R₆ and Z₁ are not identical.



- 15 -

A-22210/US/A